

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S95	3	S94 and ((inject\$3 insert\$3 transmit\$4) near4 (fault error "bad bit"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 11:47
L8	3	L7 and ((inject\$3 insert\$3 transmit\$4) near4 (fault error "bad bit"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 11:47
L7	62	L6 and ("built-in-self-test" "built-in\$1self-test" BIST "self-test")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 11:47
L6	115	L5 and (714/710,711,718,719,733 365/200,201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 11:47
L5	2159	(JTAG with (controller host processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 11:47
S96	2	"6539503".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:54
S94	50	S93 and ("built-in-self-test" "built-in\$1self-test" BIST "self-test")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:49
S93	97	S92 and (714/710,711,718,719,733 365/200,201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:49
S92	1828	(JTAG with (controller host processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:49

EAST Search History

S90	50	S89 and ("built-in-self-test" "built-in\$1self-test" BIST "self-test")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:41
S91	7	S89 and ((programmable \$2configurable) near3 ("built-in-self-test" "built-in\$1self-test" BIST "self-test"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:59
S89	97	S88 and (714/710,711,718,719,733 365/200,201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:58
S87	91	S86 and (714/710,711,718,719,733 365/200,201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:58
S79	18	((("built-in-self-test" "built-in\$1self-test" BIST "self-test") and (((plurality multiple) near2 control\$4 near2 signals) same (mux\$3 multiplex\$2 selector)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:58
S88	1828	(JTAG with (controller host processor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:57
S86	1179	JTAG with controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:57
S78	10617	(714/710,711,718,719,733 365/200, 201).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:57
S85	2	("5668818").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:56

EAST Search History

S84	11	((("built-in-self-test" "built-in\$1self-test" BIST "self-test") same ((test\$3 near mode) with (((test scan) near enable) allow interlock inter-lock)) same (mux\$3 multiplex\$2 selector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:46
S83	78	((("built-in-self-test" "built-in\$1self-test" BIST "self-test" test) same ((test\$3 near mode) with (test near enable)) same (mux\$3 multiplex\$2 selector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:44
S82	661	((("built-in-self-test" "built-in\$1self-test" BIST "self-test" test) same (mode with enable) same (mux\$3 multiplex\$2 selector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:41
S81	14	S79 not S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:03
S80	4	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:03
S77	1	((("built-in-self-test" "built-in\$1self-test" BIST "self-test") same (((plurality multiple) near2 control\$4 near2 signals) with (mux\$3 multiplex\$2 selector)) and (memory \$2RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:00
S75	25	S74 and ((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (memory or \$2RAM or (plurality near2 addressable near2 memory near2 locations)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:59
S74	1082	(714/710,711,718,719,733).ccls. and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:58

EAST Search History

S76	6	((("built-in-self-test" "built-in\$1self-test" BIST "self-test") same (((plurality multiple) near4 control\$4 near3 signal) with (mux\$3 multiplex\$2 select\$3)) and (memory \$2RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:57
S1	89	((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (memory or \$2RAM or (plurality near2 addressable near2 memory near2 locations)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:41
S73	44	((714/711, "733".ccls.) and interface and @py<"2001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 16:40
S68	22	(programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 13:34
S72	2	((714/711, "733".ccls.) and (interface same BIST) and @py<"2001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:22
S71	24343983	((714/711, "733".ccls.) and (interface same BIST) @py<"2001")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:21
S70	221	714/711.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/18 09:18
S69	665	714/733.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 15:14
S67	58	(program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:48

EAST Search History

S13	5	((program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and (MUX or multiplex\$2) and ((input/output or I/O) near2 controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:47
S66	630043	((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:39
S65	32	((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:37
S64	69	((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) and memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:27
S63	261	((((built-in-self-test or built-in\$1self-test or BIST) same parallel) and memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:24
S62	261	((built-in-self-test or built-in\$1self-test or BIST) same parallel) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:23
S61	308	(built-in-self-test or built-in\$1self-test or BIST) same parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:19
S60	1	((US-6707718-\$ or US-5987632-\$ or US-5878051-\$ or US-6457141-\$ or US-6408413-\$ or US-6169418-\$ or US-6208477-\$ or US-5784382-\$ or US-5355369-\$ or US-5258985-\$ or US-5872793-\$ or US-5982681-\$). did. or (US-20020194557-\$ or US-20020174394-\$ or US-20020056063-\$).did.) and (I/O near2 controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 14:14

EAST Search History

S59	15	(US-6707718-\$ or US-5987632-\$ or US-5878051-\$ or US-6457141-\$ or US-6408413-\$ or US-6169418-\$ or US-6208477-\$ or US-5784382-\$ or US-5355369-\$ or US-5258985-\$ or US-5872793-\$ or US-5982681-\$). did. or (US-20020194557-\$ or US-20020174394-\$ or US-20020056063-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/06/17 14:13
S58	0	US-09927042\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:42
S57	0	US-09927042-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:42
S56	0	09927042-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:41
S55	2	"6594739".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:41
S54	2	"6578126".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:39
S53	2	"6636933".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:36
S52	75	Attaway.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:34
S51	75	Attaway\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:25

EAST Search History

S50	2	Attaway-Brett\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:13
S17	0	"Attaway-Brett-W\$.ini"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:13
S49	64	(external\$2 near4 (program\$5 or select\$4 or control\$4) near5 (multiplex\$2 or MUX)) and (built-in-self-test or built-in\$1self-test or BIST)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:40
S3	37	((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (interface near4 (logic module device control\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:39
S48	1454	external\$2 near4 (program\$5 or select\$4 or control\$4) near5 (multiplex\$2 or MUX)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:38
S47	1	"4853843".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:35
S46	1	"4888772".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:34
S45	1	"4903266".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:34
S44	1	"5032979".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:34
S43	1	"5089958".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:34
S42	1	"5089958".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:33
S41	1	"5093787".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:33
S40	1	"5107501".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:33
S39	1	"5138619".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:32
S38	1	"5146573".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:32

EAST Search History

S37	1	"5173906".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:32
S36	1	"5202969".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:31
S35	1	"5222066".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:31
S34	1	"5222224".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:29
S33	1	"5032979".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:29
S32	1	"4969148".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:28
S31	1	"5224101".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:26
S30	1	"5307484".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:26
S29	1	"5173906".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:24
S28	1	"4724380".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:21
S27	1	"4701920".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:21
S26	1	"4433413".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:20
S25	1	"5138619".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:19
S24	1	"5164665".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:18
S23	1	"5184067".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:18
S22	1	"5230000".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:16
S21	1	"5258985".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:15
S20	1	"5258985".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:11
S19	1	"5301199".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:11
S18	1	"5355369".PN.	US-PGPUB; USPAT	OR	ON	2004/06/16 17:08
S16	0	"Attaway-Brett-W.ini"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:06

EAST Search History

S15	2	Attaway.in. and BIST	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:05
S14	75	Attaway.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 17:05
S12	1	((programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and (MUX or multiplex\$2) and ((input/output or I/O or disk) near2 controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:13
S8	124	((((built-in-self-test or built-in\$1self-test or BIST) and (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:04
S11	3	((built-in-self-test or built-in\$1self-test or BIST) and (SUT or system\$1under\$1test))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:18
S10	0	(((((built-in-self-test or built-in\$1self-test or BIST) and (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller))) and SUT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:17
S9	1	(((((built-in-self-test or built-in\$1self-test or BIST) and (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller))) and ((built-in-self-test or built-in\$1self-test or BIST) and disk).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:17
S7	31	((((built-in-self-test or built-in\$1self-test or BIST) same (MUX or multiplex\$2) and (input/output or I/O or disk) near2 controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 14:15
S6	0	((((built-in-self-test or built-in\$1self-test or BIST) same (MUX or multiplex\$2) and ((input/output or I/O or disk) near2 controller)) and host near4 controller and disk near4 storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 13:48

EAST Search History

S5	0	((built-in-self-test or built-in\$1self-test or BIST) same (MUX or multiplex\$2) and (interface near4 (logic module device control\$3)) same ((input/output or I/O or disk) near2 controller)) and host near4 controller and disk near4 storage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 13:47
S4	1	((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same (MUX or multiplex\$2) and (interface near4 (logic module device control\$3)) same ((input/output or I/O) near2 controller))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 13:44
S2	29	((built-in-self-test or built-in\$1self-test or BIST) same (control near4 signal mode) same ((programmable or control\$4 or selectable) near4 (MUX or multiplex\$2)) and (memory or \$2RAM or (plurality near2 addressable near2 memory near2 locations)) and (external near6 control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 13:01